



SCF 舜倡發企業股份有限公司
SHUENN CHANG FA ENTERPRISE CO.,LTD



Introduction of Company

公司簡介及沿革

1984 - 舜倡發企業股份有限公司成立於岡山鎮，由董事長朱永昌先生創立，主要生產各類的螺絲扣件。

Shuenn Chang Fa Enterprise Co., Ltd. was established in Gangshan District, Kaohsiung City, by president Mr. Chu, Yung-Chang. The main products are all types of fasteners.

1996 - 基於客戶需求擴大產能，阿蓮區廠房落成投產。

Expanded production capacity based on customer demand, the Alian District factory was completed and run the production.

1997 - ISO 9002認證通過。

Acquired ISO 9002 Certification.

2000 - 阿蓮區廠房擴建、落成；整合所有產線及辦公大樓落成啓用。

The Alian District factory expansion completed; integrate all production lines and office.

2003 - 導入電腦作業系統，提供客戶更好的品質與服務。

Adopted the computer operating system, provided customers with better quality and service

2005 - 1月ISO/TS 16949認證通過。

January - Acquired ISO / TS 16949 certification.

2008 - 由於客戶持續的需求，續原址擴建、新辦公大樓落成、整合各部門，並重新打造會議室與員工休憩室。

As customers demand continually to grow, the factory site continued to expand including set up new office, renovation on every department, set up new conference room and staff resting room.

2008 - 12月取得ISO 14001之環境品質認證。

December - Acquired ISO 14001 Environmental Certification.

2011 - 取得五個輸歐扣件商品CE證書。

Acquired CE Certificates of 5 categories.



「秉持誠實信用、致力研發創新、追求合理利潤、達成永續經營」是舜倡發公司全體員工的經營理念。

舜倡發企業股份有限公司成立於1984年。主要產品為各類材質螺絲，依客戶需求訂製或研發改良之專屬螺絲，特殊螺絲與標準品螺絲。客戶包含國內、外供應商及各進出口貿易商。

舜倡發企業股份有限公司自創業以來，即以成為符合國際品質之專業扣件製造廠為目標。我們擁有一群專業的技術人員，從原料的選用、模具的開發、機械的性能等，都有相當高的技術水準。

數十年來，在董事長朱永昌先生「積極、熱忱、敬業、踏實」的領導下，以誠懇的心，運用專業的知識與技術服務於產業界，及全體員工的共同奮鬥，深得客戶的愛護與支持，持續以精益求精、永續經營之精神，追求穩定成長。

舜倡發企業股份有限公司
SHUENN CHANG FA ENTERPRISE CO., LTD.

"Trusty, Innovative, Profitable and Growth" is Shuenn Chang Fa Enterprise Co., Ltd. business concepts.

Shuenn Chang Fa Enterprise Co., Ltd. was established in 1984. The main products are all types of material screw, customized or developed and improved of exclusive screw, special screws and standard screws. Our main customers are supplier and trading company from domestic and oversea.

Shuenn Chang Fa Enterprise Co., Ltd. was established by main objective, to be a professional and compliance with the international quality fastener manufacturer. SCF has a group of professionals and technical personnel, started from raw material selection, mould development, and machinery knowledge etc.

Mr. Chu, Yung Chang the president of Shuenn Chang Fa who is practical, enthusiastic, proactive, and dedicated person. Base on his professional knowledge and technical, he had service to this industry. Under his leadership and the concerted effort of all staff and workers for decades, SCF had won the fully support from customer, and constantly sustainable develop, and pursuit of stable growth.



Production Equipment

生產設備

我們的生產設備豐富多樣，從一般打頭車台到多冲程車台，生產外徑從M3~M12(1/16"~1/2")，長度從9mm~400mm(3/8"~16")，年產量可達12000噸！2009年從德國引進機台，從打頭-夾尾-輾牙一機完成，生產長度更可長達1000mm，滿足客戶全尺寸生產的需求！

Our production equipments are diverse such as general heading machine to bolt former machine. The products range are from diameter M3 to M12 (1/16"~1/2"), and the length from 10mm to 400mm (3/8"~16"). The annual capacity up to 12,000 tons per year! In 2009, we bought machine from Germany had join the production and this machine able to do the heading, clamping and threading in one machine. The product length up to 1,000mm (39") for diameter M6 to M12 (1/4"~1/2"), this wide production range able to meet the customers need.

 輾牙機台 Threading Machines



線材 Wire Rod



長尺寸機台 For Long Size



多冲程區 Bolt Former Machines



打頭機台 Heading Machines

品質設備 & 證書

品質政策

品質是公司生存的命脈，品質是員工生活的保障。

認證證書 Certification

2005 - 取得ISO/TS-16949認證，成為符合國際品質之專業汽車螺絲扣件製造廠。

Acquired ISO/TS-16949 Certified, to be a qualified Automotive Fastener Manufacturer and compliance with the international quality requirement.

2008 - 取得ISO 14001之環境品質認證，不僅於技術提升並為環境保護投注心力。

Acquired ISO 14001 Environmental Certification, besides to enhance on technical professionalism also devote to environmental protection.

2011 - 取得5張CE認證，認證產品涵蓋全系列。

Acquired 5 CE Certifications, full categories of the products.

Quality is everything.



檢驗設備 Testing Equipment

工欲善其事，必先利其器。完善的檢驗設備是客戶最安心的保障。

Good tools are prerequisite to the successful execution of a job. SCF had made investment in inspection facilities to provide best service and quality to customer.

投影機Profile Projector

螢光膜厚儀X-Ray

渦電流膜厚儀Electro Probe Machine

拉力機Tensile Test Machine

扭力扳手Torque Wrench

鑲埋機Mounting Press

切割機Abrasive Cutter

研磨機Polisher Grinder

洛氏硬度機Rockwell Hardness Test Machine

微小硬度機Digital Micro Hardness Tester

硬度機Digital Hardness Tester

金相顯微鏡Micro Scope

攻速機Drilling Test Machine

鹽霧試驗機Salt Spray Test Machine

花崗岩平台Granite Surface Plate



Product Introduction


產品介紹

螺絲種類圖 Screw Types

產品範圍 Product Range

Diameter M3~M14(1/16"~1/2")
Length 10mm~1000mm(3/8"~39")

Per Customized Drawing
Development for Patent



梅花
SIX-LOBE



米蘭孔
POZIDRIV/
ROUND HOLE



十字
PHILLIPS



六角帶柱
HEX
TAMPER



六角華司
HEX
WASHER



六角
凹頭華司
IND.HEX
WASHER



割溝
SLOTTED



十字割溝
PHILLIPS
SLOT



S型
S-TYPE



六角割溝
HEX SLOT



六角
HEX



六角梅花
HEX
SIX-LOBE



六角
凹頭割溝
IND.HEX
SLOT



六角凹頭
IND.HEX



六角
凹頭梅花
IND.HEX
SIX-LOBE



六角
凹頭十字
IND.HEX
PHILLIPS



六角十字
HEX
PHILLIPS



六角凹頭
割溝十字
IND.HEX
PHILLIPS
SLOT



12角突緣螺絲 12 POINT FLANGE SCREWS

汽車螺絲 AUTOMOTIVE FASTENERS

馬車螺絲 CARRIAGE BOLTS

電梯螺絲 ELEVATOR BOLTS

突緣螺絲 FLANGE BOLTS(SCREWS)

外(內)六角機械螺絲 HEX (SOCKET) HEAD BOLTS

六角螺絲(栓) HEX HEAD CAP SCREWS (HEX BOLTS)

機械螺絲 MACHINE SCREWS

四角螺絲 SQUARE HEAD BOLTS

三角牙螺絲 TRIANGULAR THREAD SCREWS

焊接螺絲(焊點螺絲) WELD STUDS(WELD SCREWS)



塑板螺絲 CHIPBOARD SCREWS

水泥(窗戶)螺絲 CONCRETE (WINDOW) SCREWS

貨櫃螺絲 CONTAINER SCREWS

牆用螺絲 DRYWALL SCREWS

歐洲螺絲 EURO SCREWS

傢俱螺絲 FURNITURE SCREWS

六角木牙螺絲 HEX LAG BOLTS

高低牙螺絲 HIGH LOW THREAD SCREWS

單向螺絲 ONE WAY LAG SCREWS

屋頂螺絲 ROOFING SCREWS

鑽尾螺絲 SELF DRILLING SCREWS

自攻螺絲 SELF TAPPING SCREWS

自削螺絲 THREAD CUTTING SCREWS

木螺絲 WOOD SCREWS



螺絲附華司組合 SCREWS & WASHERS ASSEMBLED (SEMS)

特長螺絲 SPECIAL LONGER SCREWS




特殊螺絲 SPECIAL SCREWS OR BOLTS

不鏽鋼特殊螺絲 SPECIAL STAINLESS STEEL SCREWS



CONCRETE SCREWS


水泥螺絲



Item#	Size	Driver Bit Size	Pcs/Box	Pcs/Carton	Pcs/Pallet
107500032	M7.5X32	T-30	100	3200	76800
107500042	M7.5X42	T-30	100	3200	76800
107500052	M7.5X52	T-30	100	2400	57600
107500062	M7.5X62	T-30	100	2400	57600
107500072	M7.5X72	T-30	100	1600	38400
107500082	M7.5X82	T-30	100	1600	38400
107500092	M7.5X92	T-30	100	1200	28800
107500102	M7.5X102	T-30	100	1200	28800
107500112	M7.5X112	T-30	100	1200	28800
107500122	M7.5X122	T-30	100	800	19200
107500132	M7.5X132	T-30	100	800	19200
107500152	M7.5X152	T-30	100	800	19200
107500182	M7.5X182	T-30	100	800	19200
107500212	M7.5X212	T-30	100	800	19200
107500252	M7.5X252	T-30	50	400	9600
107500302	M7.5X302	T-30	50	400	9600

CHIPBOARD SCREWS

塑板螺絲 - 三角牙 TRIANGULAR



Advantages
Speed in drilling!
Better cutting in hard wood!
Pull out strength!

Item#	Size	Driver Bit Size		Pcs/Box	Pcs/Carton	Pcs/Pallet
		# Lobe	Posi			
303000025	M3X25	T-10	#1	200	15200	364800
303000030	M3X30	T-10	#1	200	15200	364800
303000035	M3X35	T-10	#1	200	9600	230400
303000040	M3X40	T-10	#1	200	9600	230400
303500025	M3.5X25	T-15	#2	200	15200	364800
303500030	M3.5X30	T-15	#2	200	9600	230400
303500035	M3.5X35	T-15	#2	200	9600	230400
303500040	M3.5X40	T-15	#2	200	6400	153600
303500045	M3.5X45	T-15	#2	200	6400	153600
303500050	M3.5X50	T-15	#2	200	6400	153600
304000025	M4X25	T-15	#2	200	9600	230400
304000030	M4X30	T-15	#2	200	9600	230400
304000035	M4X35	T-15	#2	200	9600	230400
304000040	M4X40	T-15	#2	200	6400	153600
304000045	M4X45	T-15	#2	200	6400	153600
304000050	M4X50	T-15	#2	200	4800	115200
304000055	M4X55	T-15	#2	200	4800	115200
304000060	M4X60	T-15	#2	200	4800	115200
304000070	M4X70	T-15	#2	200	4800	115200
304000075	M4X75	T-15	#2	200	3200	76800
304000080	M4X80	T-15	#2	200	3200	76800
304500030	M4.5X30	T-20	#2	200	6400	153600
304500035	M4.5X35	T-20	#2	200	6400	153600
304500040	M4.5X40	T-20	#2	200	6400	153600
304500045	M4.5X45	T-20	#2	200	4800	115200
304500050	M4.5X50	T-20	#2	200	4800	115200
304500055	M4.5X55	T-20	#2	200	4800	115200
304500060	M4.5X60	T-20	#2	200	4800	115200
304500070	M4.5X70	T-20	#2	200	3200	76800
304500075	M4.5X75	T-20	#2	200	3200	76800
304500080	M4.5X80	T-20	#2	200	3200	76800
305000030	M5X30	T-25	#2	200	6400	153600
305000035	M5X35	T-25	#2	200	6400	153600
305000040	M5X40	T-25	#2	200	4800	115200

Item#	Size	Driver Bit Size		Pcs/Box	Pcs/Carton	Pcs/Pallet
		# Lobe	Posi			
305000045	M5X45	T-25	#2	200	4800	115200
305000050	M5X50	T-25	#2	200	3200	76800
305000055	M5X55	T-25	#2	200	3200	76800
305000060	M5X60	T-25	#2	200	3200	76800
305000070	M5X70	T-25	#2	200	3200	76800
305000075	M5X75	T-25	#2	200	3200	76800
305000080	M5X80	T-25	#2	200	3200	76800
305000100	M5X100	T-25	#2	100	2400	57600
305000120	M5X120	T-25	#2	100	1600	38400
306000050	M6X50	T-30	#3	100	3200	76800
306000055	M6X55	T-30	#3	100	2400	57600
306000060	M6X60	T-30	#3	100	2400	57600
306000070	M6X70	T-30	#3	100	2400	57600
306000080	M6X80	T-30	#3	100	1600	38400
306000090	M6X90	T-30	#3	100	1600	38400
306000100	M6X100	T-30	#3	100	1600	38400
306000120	M6X120	T-30	#3	100	1600	38400
306000140	M6X140	T-30	#3	100	1200	28800
306000160	M6X160	T-30	#3	100	1200	28800
306000180	M6X180	T-30	#3	100	800	19200
306000200	M6X200	T-30	#3	100	800	19200
308000080	M8X80	T-40	#4	50	800	19200
308000090	M8X90	T-40	#4	50	800	19200
308000100	M8X100	T-40	#4	50	600	14400
308000120	M8X120	T-40	#4	50	600	14400
308000140	M8X140	T-40	#4	50	600	14400
308000160	M8X160	T-40	#4	50	600	14400
308000180	M8X180	T-40	#4	50	400	9600
308000200	M8X200	T-40	#4	50	400	9600
308000220	M8X220	T-40	#4	50	400	9600
308000240	M8X240	T-40	#4	50	400	9600
308000260	M8X260	T-40	#4	50	400	9600
308000280	M8X280	T-40	#4	50	300	7200
308000300	M8X300	T-40	#4	50	300	7200

WOOD SCREWS

木螺絲



Item#	Size	Driver Bit Size	FLAT HEAD		HEX FLANGE HEAD	
			Pcs/Carton	Pcs/Pallet	Pcs/Carton	Pcs/Pallet
207000065	M7.0X65	T-40	900	43200	600	28800
207000075	M7.0X75	T-40	800	38400	550	26400
207000085	M7.0X85	T-40	700	33600	500	24000
207000105	M7.0X105	T-40	550	26400	400	19200
207000120	M7.0X120	T-40	450	21600	350	16800
207000140	M7.0X140	T-40	400	19200	300	14400
207000165	M7.0X165	T-40	300	14400	250	12000
207000185	M7.0X185	T-40	300	14400	250	12000
207000205	M7.0X205	T-40	250	12000	200	9600
207000225	M7.0X225	T-40	200	9600	200	9600
207000245	M7.0X245	T-40	200	9600	200	9600
207000265	M7.0X265	T-40	200	9600	180	8640
207000285	M7.0X285	T-40	180	8640	160	7680
207000305	M7.0X305	T-40	180	8640	160	7680
207000325	M7.0X325	T-40	160	7680	150	7200


MACHINE SCREWS

機械螺絲

- 六角頭 / 六角凹頭 / 六角突緣 / 套筒



HEX HEAD/IND. HEX HEAD/
HEX FLANGE HEAD/SOCKET HEAD




Size	M3	M4	M5	M6	M8	M10	M12
L	0.5	0.7	0.8	1.0	1.25	1.5	1.75
12	403000012	404000012	405000012	406000012			
16	403000016	404000016	405000016	406000016			
20	403000020	404000020	405000020	406000020	408000020		
25	403000025	404000025	405000025	406000025	408000025		
30	403000030	404000030	405000030	406000030	408000030	410000030	412000030
35	403000035	404000035	405000035	406000035	408000035	410000035	412000035
40	403000040	404000040	405000040	406000040	408000040	410000040	412000040
45	403000045	404000045	405000045	406000045	408000045	410000045	412000045
50	403000050	404000050	405000050	406000050	408000050	410000050	412000050
55			405000055	406000055	408000055	410000055	412000055
60			405000060	406000060	408000060	410000060	412000060
65			405000065	406000065	408000065	410000065	412000065
70			405000070	406000070	408000070	410000070	412000070
80			405000080	406000080	408000080	410000080	412000080
90			405000090	406000090	408000090	410000090	412000090
100			405000100	406000100	408000100	410000100	412000100
110				406000110	408000110	410000110	412000110
120				406000120	408000120	410000120	412000120
130				406000130	408000130	410000130	412000130
140				406000140	408000140	410000140	412000140
150				406000150	408000150	410000150	412000150
160				406000160	408000160	410000160	412000160
180				406000180	408000180	410000180	412000180
200				406000200	408000200	410000200	412000200
220				406000220	408000220	410000220	412000220
240				406000240	408000240	410000240	412000240
260				406000260	408000260	410000260	412000260
280				406000280	408000280	410000280	412000280
300				406000300	408000300	410000300	412000300

Packing: Max. 20KG/Carton
Per ISO / DIN / IFI standards
Per Customer Drawing.

IND. HEX HEAD MACHINE SCREWS

六角凹頭 機械螺絲



Size	M3	M4	M5	M6	M8	M10	M12
Length	0.5	0.7	0.8	1.0	1.25	1.5	1.75
12	503000012	504000012	505000012	506000012			
16	503000016	504000016	505000016	506000016			
20	503000020	504000020	505000020	506000020	508000020		
25	503000025	504000025	505000025	506000025	508000025		
30	503000030	504000030	505000030	506000030	508000030	510000030	512000030
35	503000035	504000035	505000035	506000035	508000035	510000035	512000035
40	503000040	504000040	505000040	506000040	508000040	510000040	512000040
45	503000045	504000045	505000045	506000045	508000045	510000045	512000045
50	503000050	504000050	505000050	506000050	508000050	510000050	512000050
55			505000055	506000055	508000055	510000055	512000055
60			505000060	506000060	508000060	510000060	512000060
65			505000065	506000065	508000065	510000065	512000065
70			505000070	506000070	508000070	510000070	512000070
80			505000080	506000080	508000080	510000080	512000080
90			505000090	506000090	508000090	510000090	512000090
100			505000100	506000100	508000100	510000100	512000100
110				506000110	508000110	510000110	512000110
120				506000120	508000120	510000120	512000120
130				506000130	508000130	510000130	512000130
140				506000140	508000140	510000140	512000140
150				506000150	508000150	510000150	512000150
160				506000160	508000160	510000160	512000160
180				506000180	508000180	510000180	512000180
200				506000200	508000200	510000200	512000200
220				506000220	508000220	510000220	512000220
240				506000240	508000240	510000240	512000240
260				506000260	508000260	510000260	512000260
280				506000280	508000280	510000280	512000280
300				506000300	508000300	510000300	512000300

Packing: Max. 25KG/Carton
Per ISO / DIN / IFI Standards
Per Customer Drawing




舜昌發企業股份有限公司
Shuenn Chang Fa Enterprise Co., Ltd.

scf.mail@msa.hinet.net
<http://scffastener.com>

HEX FLANGE HEAD MACHINE SCREWS

六角突緣 機械螺絲



Size	M3	M4	M5	M6	M8	M10	M12
Length	0.5	0.7	0.8	1.0	1.25	1.5	1.75
12	603000012	604000012	605000012	606000012			
16	603000016	604000016	605000016	606000016			
20	603000020	604000020	605000020	606000020	608000020		
25	603000025	604000025	605000025	606000025	608000025		
30	603000030	604000030	605000030	606000030	608000030	610000030	612000030
35	603000035	604000035	605000035	606000035	608000035	610000035	612000035
40	603000040	604000040	605000040	606000040	608000040	610000040	612000040
45	603000045	604000045	605000045	606000045	608000045	610000045	612000045
50	603000050	604000050	605000050	606000050	608000050	610000050	612000050
55			605000055	606000055	608000055	610000055	612000055
60			605000060	606000060	608000060	610000060	612000060
65			605000065	606000065	608000065	610000065	612000065
70			605000070	606000070	608000070	610000070	612000070
80			605000080	606000080	608000080	610000080	612000080
90			605000090	606000090	608000090	610000090	612000090
100			605000100	606000100	608000100	610000100	612000100
110				606000110	608000110	610000110	612000110
120				606000120	608000120	610000120	612000120
130				606000130	608000130	610000130	612000130
140				606000140	608000140	610000140	612000140
150				606000150	608000150	610000150	612000150
160				606000160	608000160	610000160	612000160
180				606000180	608000180	610000180	612000180
200				606000200	608000200	610000200	612000200
220				606000220	608000220	610000220	612000220
240				606000240	608000240	610000240	612000240
260				606000260	608000260	610000260	612000260
280				606000280	608000280	610000280	612000280
300				606000300	608000300	610000300	612000300

Packing: Max. 25KG/Carton
Per ISO / DIN / IFI Standards
Per Customer Drawing




舜倡發企業股份有限公司
Shuenn Chang Fa Enterprise Co., Ltd.

scf.mail@msa.hinet.net
<http://scffastener.com>

HEX WASHER HEAD MACHINE SCREWS

六角華司頭 機械螺絲



Size Length	M3 0.5	M4 0.7	M5 0.8	M6 1.0	M8 1.25	M10 1.5	M12 1.75
12	803000012	804000012	805000012	806000012			
16	803000016	804000016	805000016	806000016			
20	803000020	804000020	805000020	806000020	808000020		
25	803000025	804000025	805000025	806000025	808000025		
30	803000030	804000030	805000030	806000030	808000030	810000030	812000030
35	803000035	804000035	805000035	806000035	808000035	810000035	812000035
40	803000040	804000040	805000040	806000040	808000040	810000040	812000040
45	803000045	804000045	805000045	806000045	808000045	810000045	812000045
50	803000050	804000050	805000050	806000050	808000050	810000050	812000050
55			805000055	806000055	808000055	810000055	812000055
60			805000060	806000060	808000060	810000060	812000060
65			805000065	806000065	808000065	810000065	812000065
70			805000070	806000070	808000070	810000070	812000070
80			805000080	806000080	808000080	810000080	812000080
90			805000090	806000090	808000090	810000090	812000090
100			805000100	806000100	808000100	810000100	812000100
110				806000110	808000110	810000110	812000110
120				806000120	808000120	810000120	812000120
130				806000130	808000130	810000130	812000130
140				806000140	808000140	810000140	812000140
150				806000150	808000150	810000150	812000150
160				806000160	808000160	810000160	812000160
180				806000180	808000180	810000180	812000180
200				806000200	808000200	810000200	812000200
220				806000220	808000220	810000220	812000220
240				806000240	808000240	810000240	812000240
260				806000260	808000260	810000260	812000260
280				806000280	808000280	810000280	812000280
300				806000300	808000300	810000300	812000300

Packing: Max. 25KG/Carton
Per ISO / DIN / IFI Standards
Per Customer Drawing




舜倡發企業股份有限公司
Shuenn Chang Fa Enterprise Co., Ltd.

scf.mail@msa.hinet.net
<http://scffastener.com>

HEX HEAD MACHINE SCREWS

六角頭 機械螺絲



Size Length	M3 0.5	M4 0.7	M5 0.8	M6 1.0	M8 1.25	M10 1.5	M12 1.75
12	403000012	404000012	405000012	406000012			
16	403000016	404000016	405000016	406000016			
20	403000020	404000020	405000020	406000020	408000020		
25	403000025	404000025	405000025	406000025	408000025		
30	403000030	404000030	405000030	406000030	408000030	410000030	412000030
35	403000035	404000035	405000035	406000035	408000035	410000035	412000035
40	403000040	404000040	405000040	406000040	408000040	410000040	412000040
45	403000045	404000045	405000045	406000045	408000045	410000045	412000045
50	403000050	404000050	405000050	406000050	408000050	410000050	412000050
55			405000055	406000055	408000055	410000055	412000055
60			405000060	406000060	408000060	410000060	412000060
65			405000065	406000065	408000065	410000065	412000065
70			405000070	406000070	408000070	410000070	412000070
80			405000080	406000080	408000080	410000080	412000080
90			405000090	406000090	408000090	410000090	412000090
100			405000100	406000100	408000100	410000100	412000100
110				406000110	408000110	410000110	412000110
120				406000120	408000120	410000120	412000120
130				406000130	408000130	410000130	412000130
140				406000140	408000140	410000140	412000140
150				406000150	408000150	410000150	412000150
160				406000160	408000160	410000160	412000160
180				406000180	408000180	410000180	412000180
200				406000200	408000200	410000200	412000200
220				406000220	408000220	410000220	412000220
240				406000240	408000240	410000240	412000240
260				406000260	408000260	410000260	412000260
280				406000280	408000280	410000280	412000280
300				406000300	408000300	410000300	412000300

Packing: Max. 25KG/Carton
Per ISO / DIN / IFI Standards
Per Customer Drawing



舜倡發企業股份有限公司
Shuenn Chang Fa Enterprise Co., Ltd.

scf.mail@msa.hinet.net
<http://scffastener.com>

SOCKET SCREWS / CAP SCREWS

內六角頭 套筒螺絲



Size Length	M3 0.5	M4 0.7	M5 0.8	M6 1.0	M8 1.25	M10 1.5	M12 1.75
12	703000012	704000012	705000012	706000012			
16	703000016	704000016	705000016	706000016			
20	703000020	704000020	705000020	706000020	708000020		
25	703000025	704000025	705000025	706000025	708000025		
30	703000030	704000030	705000030	706000030	708000030	710000030	712000030
35	703000035	704000035	705000035	706000035	708000035	710000035	712000035
40	703000040	704000040	705000040	706000040	708000040	710000040	712000040
45	703000045	704000045	705000045	706000045	708000045	710000045	712000045
50	703000050	704000050	705000050	706000050	708000050	710000050	712000050
55			705000055	706000055	708000055	710000055	712000055
60			705000060	706000060	708000060	710000060	712000060
65			705000065	706000065	708000065	710000065	712000065
70			705000070	706000070	708000070	710000070	712000070
80			705000080	706000080	708000080	710000080	712000080
90			705000090	706000090	708000090	710000090	712000090
100			705000100	706000100	708000100	710000100	712000100
110				706000110	708000110	710000110	712000110
120				706000120	708000120	710000120	712000120
130				706000130	708000130	710000130	712000130
140				706000140	708000140	710000140	712000140
150				706000150	708000150	710000150	712000150
160				706000160	708000160	710000160	712000160
180				706000180	708000180	710000180	712000180
200				706000200	708000200	710000200	712000200
220				706000220	708000220	710000220	712000220
240				706000240	708000240	710000240	712000240
260				706000260	708000260	710000260	712000260
280				706000280	708000280	710000280	712000280
300				706000300	708000300	710000300	712000300

Packing: Max. 25KG/Carton
Per ISO / DIN / IFI Standards
Per Customer Drawing




舜昌發企業股份有限公司
Shuenn Chang Fa Enterprise Co., Ltd.

scf.mail@msa.hinet.net
<http://scffastener.com>

DRYWALL SCREWS

牆用螺絲



Size Length	3.5(#6)		4.2(#8)		4.8(#10)	
	FINE	COARSE	FINE	COARSE	FINE	COARSE
19	903500019	1003500019				
25	903500025	1003500025				
32	903500032	1003500032				
35	903500035	1003500035	904200035	1000200035		
45	903500045	1003500045	904200045	1000200045		
55	903500055	1003500055	904200055	1000200055		
60	903500060	1003500060	904200060	1000200060		
65			904200065	1000200065		
70			904200070	1000200070		
75			904200075	1000200075		
90			904200090	1000200090		
95					904800095	1000800095
102					904800102	1000800102
127					904800127	1000800127
152					904800152	1000800152

Packing: Max. 25KG/Carton




舜昌發企業股份有限公司
Shuenn Chang Fa Enterprise Co., Ltd.

scf.mail@msa.hinet.net
<http://scffastener.com>

太陽能螺絲 組裝概念 Solar Screw DIY Concept


*組裝概念圖僅供參考，施工環境不同，方式也會有所不同。

*Assembly concept for reference only. Construction environment is different, the way will be different.



SOLAR SCREWS

太陽能螺絲



Size	Thread Length		Type A Item #		Type BF Item #	
	Machine	A or BF		Washer		Washer
M8 X 160	80	50	1108000160	1208000160	1308000160	1408000160
M8 X 180	100	60	1108000180	1208000180	1308000180	1408000180
M8 X 200	120	60	1108000200	1208000200	1308000200	1408000200
M8 X 250	120	60	1108000250	1208000250	1308000250	1408000250
M10 X 200	100	70	1110000200	1210000200	1310000200	1410000200
M10 X 250	120	70	1110000250	1210000250	1310000250	1410000250
M10 X 280	150	70	1110000280	1210000280	1310000280	1410000280
M10 X 300	150	70	1110000300	1210000300	1310000300	1410000300
M12 X 200	150	100	1112000200	1212000200	1312000200	1412000200
M12 X 250	150	100	1112000250	1212000250	1312000250	1412000250
M12 X 280	150	100	1112000280	1212000280	1312000280	1412000280
M12 X 300	150	100	1112000300	1212000300	1312000300	1412000300
M12 X 350	150	100	1112000350	1212000350	1312000350	1412000350
M12 X 400	150	100	1112000400	1212000400	1312000400	1412000400

Corporate Vision

公司遠景

~ 展望未來，放眼國際，台灣第一 ~
Future Prospect, Towards International, Taiwan No. 1

舜倡發之產品主要以外銷為主，在世界各地都有合作的夥伴。舜倡發更積極透過外貿協會的貿易訪問團及螺絲/五金/扣件展覽，不斷增加曝光率，進而透過合作，打造深植客戶心中信賴的品牌。

未來為與世界接軌，朝向優質管理，策略規劃之概念，編制長短期經營計劃，為未來經營方向勾勒藍圖，做為全體員工努力之目標，使公司真正達到永續經營之遠景。

The products of Shuenn Chang Fa are mainly for export purposes. Business partners are all over the world. Shuenn Chang Fa is more actively through the Taiwan External Trade Development Council (TAITRA) trade missions and screws / hardware / fastener exhibition to increase his exposure, and then through co-operation to create a trusted brand deeply rooted in the minds of customers.

In order to achieve the vision of the sustainable management, Shuenn Chang Fa has set up strategic planning for his short term and long terms business goal, also as a motivation for all staff to achieve it.



*S*atisfactory · *C*hoice · *F*astener

Offer You Complete Solutions for Screws.



SCF 舜昌發企業股份有限公司
SHUEN CHANG FA ENTERPRISE CO., LTD

<http://www.scffastener.com>

E-mail: scf.mail@msa.hinet.net

TEL: 886-7-633-1456 / 886-7-633-1500

FAX: 886-7-633-1469 / 886-7-633-1483

地 址: 82242 高雄市阿蓮區復安里復安13-6號

ADD: No.13-6, Fu'an, Alian Dist, Kaohsiung City 82242, Taiwan (R.O.C.)

